



www.microskytech.com



PRODUCT CATALOG
MICROSKY TECH COMPANY LIMITED


2025

Company Introduction

Microsky Tech Co., Ltd it' s a professional manufacturer of all types of All in one PC,integrating development and production together. Our main products include smart speaker, Open Frame, Touch monitor,Touch All In one PC ,and related products.

We support many different customers in Europe,South America, Middle East,etc.

Factory about 1500 square meter of more than 80 people,QC 10 people, technology 10 people, 2 production lines,equipped with proffessional dust-free production workshop. We have good quality control on our products from the beginning of the purchasing of material to shippingout goods. During Whole production,we have IQC,IPQC,LQC,FQC, OQC to check and testing. Factory equipment are used industry- test,quality testing room to well ensure the quality.The month capacity of production is 360k,adequate and stable staff well ensure the delivery time.



Loading Quantity (20GP/40HQ)



Smart Speaker



Product Parameters		
Mode:	MS-0806	MS-1016
SIZE	8inch	10.1inch
OS	Google Android 13.0 or above	
CPU	RK3562 or Optiona	
Memory Capacity	4GB/8GB/16GB/32GB	
Storage Capacity	16GB/32GB/56GB/128GB	
Maximum Resolution	800*1280 ips	
Viewing Angle	178° (H) /178° (V)	
Brightness	250cd/m ²	
Contrast Ratio	1000:1	
Viewing Ratio	16:09	
Mic	MIC inside*4PCS	
Touch Panel	On cell 10 point with Glass+Glass	
Wi-Fi	802.11b/g/n ac or wifi 6	
Bluetooth	BT 4.2	
Camera	2.0MP,5.0MP(optional)	
Speaker	8Watt*2	
Battery	7.4V/4000mAh(5hours)	
Function Button	Power switch,Volume+/-	
Control method	Touch/Keypress/Voise	
Case Material	ABS+metal	
Color	Black or White	
Bottom Ports Interface	1.Type C for Charging ,2.Type c for Data	
Video	support	
Audio	MP3.MP2.OGG.AAC.M4A.AMR.FLAC.APE.	
Picture	JPG,JPEG.GIF.BMP.PNG	
Case Size		
Power Supply	AC 90-220V , DC to 2A/9V	
Accessory	cable, Power adaptor, User's Manual	
CARTON SIZE:		
G.W / N.W (KG)		

Touch Monitors



Product Parameters

Mode:	MT-1008
SIZE	10.1inch
Motherboard	Mstar or Realtek
Maximum Resolution	800*1280 IPS
Viewing Angle	178° (H)/178° (V)
Brightness	250cd/m
Contrast Ratio	1000:1
Panel Type	ips
Viewing Ratio	16:09
Dot pitch	0.24mm(H)*0.24mm(V)
Response time	2ms
Bottom Ports Interface	DC.HD,VGA, 3.5inch earphone ,USB for touch
Function Button	Power switch,auto,V+,V-,Menu
Speaker	2Watt*2
Touch Panel	On cell 10 point with Glass+Glass
Case Materail	Metal+ stand
Color	Black or White
Case Size	260*178*41.4MM
VESA	75cm*75cm
Power Supply	AC 90-220V,1.1A DC to 2A/12V
Accessory	VGA cable, Power adaptor, User's Manual
CARTON SIZE:	330*256*70MM
G.W /N.W (KG)	1860g

Touch Monitors



Product Paramaters

Mode:	MT-1506
SIZE	15.6inch
Motherboard	Mstar or Realtek
Maximum Resolution	1920*1080 full HD
Viewing Angle	178° (H)/178° (V)
Brightness	250cd/m
Contrast Ratio	3000:1
Panel Type	ips/tn
Viewing Ratio	16:09
Dot pitch	0.24mm(H)*0.24mm(V)
Response time	2ms
Bottom Ports Interface	DC,VGA, DVI,HD out mic in,line out, USB for touch,
Function Button	Power switch, auto,V+,v-,Menu
Speaker	3Watt*2
Camera	2.0MP,3.0MP,5.0MPwith mic(optional)
Touch Panel	On cell 10 point with Glass+Glass
Case Materail	ABS+metal stand
Color	Black or White
Case Size	375*255*33.9mm
VESA	100mm*100mm
Consumption	
Power Supply	AC 90-220V,1.1A DC to 7A/12V
Accessory	VGA cable,Power adaptor, User's Manual
CARTON SIZE:	
G.W / N.W (KG)	

Touch Monitors



Product Parameters

Mode:	MT-1906	MT-2206	MT-2406
SIZE	18.5inch	21.5inch	23.8inch
Motherboard	Mstar or Realtek		
Maximum Resolution	1920*1080 full HD		
Viewing Angle	178° (H)/178° (V)		
Brightness	250cd/m		
Contrast Ratio	3000:1		
Panel Type	ips/tn		
Viewing Ratio	16:09		
Dot pitch	0.24mm(H)*0.24mm(V)		
Response time	2ms		
Bottom Ports Interface	DC,VGA, DVI,HD out mic in,line out, USB for touch,		
Function Button	Power switch, auto,V+,v-,Menu		
Speaker	3Watt*2		
Camera	2.0MP,3.0MP,5.0MPwith mic(optional)		
Touch Panel	On cell 10 point with Glass+Glass		
Case Material	ABS+metal stand		
Color	Black or White		
Case Size	434.5*280.39*39.5mm	492.55*308.92*42.5mm	
VESA	100mm*100mm		
Consumption			
Power Supply	AC 90-220V,1.1A DC to 7A/12V		
Accessory	VGA cable,Power adaptor, User's Manual		
CARTON SIZE:			
G.W / N.W (KG)			

Protable monitors



Product Paramaters

Mode:	MPM-148	MPM-168
SIZE	14inch	15.6inch
Motherboard	Realtek 2556	
CPU	Mstar or Realtek	
Maximum Resolution	1920*1080 full HD	
Viewing Angle	178° (H)/178° (V)	
Brightness	250cd/m	
Contrast Ratio	3000:1	
Panel Type	IPS	
Viewing Ratio	16:09	
Dot pitch	0.24mm(H)*0.24mm(V)	
Response time	2ms	
Bottom Ports Interface	Type-C*2 Earphone,USB,another opotional	
Function Button	MENU,+, -	
Speaker	2Watt*2	
Camera	N/A	
Touch Panel	10 point with Glass+Glass or optional	
Case Materail	ABS+metal stand	
Color	Black or White	
Case Size	322*204.5*7.5mm	357.6*225.1*7.8mm
Stand	yes/front 5° ~back15° ±2°	
Consumption	trun on ≤15W Stand by≤0.5W	
Power Supply	AC 90-220V ,1.1A DC to 1A-3A /5-20V	
Accessory	Power adaptor, User's Manual,Type C cabel	
OSD	12 language (max)	
CARTON SIZE:		
G.W/ N.W(KG)	0.70/0.46KG	0.72/0.48KG

Aio with touch



Product Parameters

Mode:	MA-1506
SIZE	15.6inch
Motherboard	Mini-itx 170*170mm
CPU	intel i3/i5/i7(optional)
Memory Capacity	4GB/8GB/16GB/32GB
Hard Disk Capacity	128GB/256GB/512GB/1TB
Maximum Resolution	1920*1080 full HD
Viewing Angle	178° (H)/178° (V)
Brightness	250cd/m
Contrast Ratio	3000:1
Panel Type	ips/tn
Viewing Ratio	16:09
Dot pitch	0.24mm(H)*0.24mm(V)
Response time	2ms
Side Ports Interface	N/A
Bottom Ports Interface	DC,VGA,COM, HD, USB2.0/3.0*4,RJ45,mic in ,line out
Function Button	Power switch,reset
Speaker	3Watt*2
Camera	2.0MP,3.0MP,5.0MP with mic(optional)
Touch Panel	On cell 10 point with Glass+Glass
Case Materail	ABS+metal stand
Color	Black or White
Case Size	375*255*33.9mm
VESA	100mm*100mm
Consumption	
Power Supply	AC 90-220V ,1.1A DC to 7A/12V
Accessory	cable,Power adaptor, User's Manual
CARTON SIZE:	
G.W / N.W (KG)	

Aio with touch



Product Parameters

Mode:	MA-1906	MA-2206	MA-2406
SIZE	18.5inch	21.5inch	23.8inch
Motherboard	Mini-itx 170*170mm		
CPU	intel i3/i5/i7(optional)		
Memory Capacity	4GB/8GB/16GB/32GB		
Hard Disk Capacity	128GB/256GB/512GB/1TB		
Maximum Resolution	1920*1080 full HD		
Viewing Angle	178° (H)/178° (V)		
Brightness	250cd/m		
Contrast Ratio	3000:1		
Panel Type	ips/tn		
Viewing Ratio	16:09		
Dot pitch	0.24mm(H)*0.24mm(V)		
Response time	2ms		
Side Ports Interface	N/A		
Bottom Ports Interface	DC.VGA,COM, HD, USB2.0/3.0*4,RJ45,mic in ,line out		
Function Button	Power switch,reset		
Speaker	3Watt*2		
Camera	2.0MP,3.0MP,5.0MP with mic(optional)		
Touch Panel	On cell 10 point with Glass+Glass		
Case Material	ABS+metal stand		
Color	Black or White		
Case Size	434.5*280.39*39.5mm	492.55*308.92*42.5mm	
VESA	100mm*100mm		
Consumption			
Power Supply	AC 90-220V ,1.1A DC to 7A/12V		
Accessory	cable,Power adaptor, User's Manual		
CARTON SIZE:			
G.W / N.W (KG)			

Open Frame



Product Parameters	
Mode:	MT-1009
SIZE	10.1inch
Motherboard	MTK/Realtek /Android(RK or Allwinner)/intel
Maximum Resolution	800*1280 IPS
Viewing Angle	178° (H) /178° (V)
Brightness	250cd/m ²
Contrast Ratio	1000:1
Panel Type	ips
Viewing Ratio	16:09
Dot pitch	0.24mm(H)*0.24mm(V)
Response time	5ms
Bottom Ports Interface	DC.HD ,VGA,DVI,mic in ,AV in,USB Type-C Option
Function Button	Power switch,auto,V+,V-,Menu
Speaker (Optional)	3Watt*2
Touch Panel (Optional)	On cell 10 point with Glass+Glass
Case Material	Metal+ stand
Color	Black or White
Case Size	246*165*13.3MM(+28)
VESA	Optional
Power Supply	AC 90-220V ,DC 2A-5A/12V
Accessory	cable, Power adaptor, User's Manual
CARTON SIZE:	280*255*88MM
G.W / N.W (KG)	

Open Frame



Product Paramaters		
Mode:	MT-1609	MT-2209
SIZE	15.6inch	21.5inch
Motherboard	MTK/Realtek /Android(RK or Allwinner)/intel	
Maximum Resolution	1920*10801920*1080	
Viewing Angle	178° (H) /178° (V)	
Brightness	250cd/m ²	
Contrast Ratio	1000:1	
Panel Type	ips	
Viewing Ratio	16:09	
Dot pitch	0.24mm(H)*0.24mm(V)	
Response time	2ms	
Bottom Ports Interface	DC.HD ,VGA,DVI,mic in ,AV in,USB Type-C Option	
Function Button	Power switch,auto,V+,V-,Menu	
Speaker (Optional)	3Watt*2	
Touch Panel (Optional)	On cell 10 point with Glass+Glass	
Case Materail	Metal+ stand	
Color	Black or White	
Case Size	376.8*226.2*17MM(+28)	524.8*318.6*19.2MM(+28)
VESA	Optional	
Power Supply	AC 90-220V ,DC 2A-5A/12V	
Accessory	cable, Power adaptor, User's Manual	
CARTON SIZE:	420*318.8*98MM	570*409*100MM
G.W / N.W (KG)		



WhatsApp



Wechat

MICROSKY TECH COMPANY LIMITED

Address: 3F BuddingA Gaojielong Industypark Changde
Road 287 Humen Town Dongguan City China

Office Address: Room 2513,Gebu Building,Songgang
Road,Bao'an District,Shenzhen City,
Guangdong Province

Wechat: +86 188 1951 6559

Skype: qizhao58

Email: oppo@microskytech.com

Mob: +86 188 1951 6559